ORDER FOR SUPPLIES OR SERVICES								PAGE 1 OF 35				
				_					T			
	HZV-07-P-1		ER/AGREEMENT NO.	2. DELIV	VERY ORDER	/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2007JUL09	ER/CAL		JISITION/PURCH RE	QUEST NO.	5. PRIORITY DOA4
6. ISSUEL	BY			CODE	W56HZV	7. ADMINIST	ERED BY (If other t	han 6)	DEE C		0107A	8. DELIVERY FOB
U.S. ARMY TACOM LCMC AMSTA-AQ-AHPC TERRY ZIELINSKI (586)574-5833 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL WEAPON SYSTEM: WPN SYS: MM EMAIL: NA.ZIELINSKI@US.ARMY.MIL				BUI MAR	A HUNTSVILLE LDING 4505, S TIN ROAD STONE ARSENAI	ı, AL		001 ADP PT: HQ033	3.8	DESTINATION X OTHER (See Schedule if other)		
9. CONTR	ACTOR			CODE	076M6	FACIL		10. DE		OB POINT BY (Date)		11. X IF BUSINESS IS
NAME AND ADDRESS	1805 C ANNIST	OLI	STEMS LAND & ARM EMAN RD , AL 36207-6859	1AMENTS			•	SEE	YYYMMMDI SCHEDULE SCOUNT TER	1		SMALL SMALL DISADVANTAGED WOMAN-OWNED
	• TYPE B	sus:	INESS: Large Bus	siness I	Performino	ı in U.S.	•		AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
14. SHIP 7		,00.	Enzes Barge Bar	CODE			T WILL BE MADE		BIOCK IS	COD	E HQ0338	MARK ALL
SEE	SCHEDULE					DFA P.O	S-COLUMBUS CE S-CO/SOUTH EN . BOX 182264 UMBUS, OH 432	TITLE		RATION		PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL		THIS DELIVERY ORDER	R IS ISSUED	ON ANOTHER C	GOVERNMENT AG	GENCY OR IN ACCORI	DANCE W	ITH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE	х			furnish the fol	lowing on terms	specified herein.		ated _2007A			
										MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
		l, su	FRACTOR pplier must sign Accepta ROPRIATION DATALO				opies:	TYPED) NAME AND	TITLE		SIGNED MMMDD)
18. ITEM	NO. 19. SO	СНЕ	DULE OF SUPPLIES/SI	ERVICE			20. QUANTITY ORDERED/ ACCEPTED*	7	21. UNIT	22. UNIT PRICE	23. AMOUNT	
	CONT F: KINI	rra irm O O	HEDULE CT TYPE: -Fixed-Price F CONTRACT: ly Contracts and	d Price	d Orders							
	accepted by the			4. UNITED	STATES OF A		l		1		25. TOTAL 26.	\$23,922.06
If differen quantity o	t, enter actual qu rdered and encir	ıanti rcle.	ity accepted below B	BY:			.ARMY.MIL (58			RDERING OFFICER	DIFFERENCES	3
	PECTED COLU	7	N 20 HAS BEEN ECEIVED	ACCEPTEI	D. AND CONFO	ORMS TO CONT	FRACT EXCEPT AS	NOTE	0			
			RIZED GOVERNMENT			71	c. DATE (YYYYMMMD		d. PRINTE	D NAME AND TITLE SENTATIVE	OF AUTHORIZE	D GOVERNMENT
e. MAILI	NG ADDRESS ()F A	UTHORIZED GOVERN	MENT RE	PRESENTATI	VE	28. SHIP. NO.		29. D.O. VOU	CHER NO.	30. INITIALS	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS				PARTIA FINAL		32. PAID BY			ERIFIED CORRECT FOR			
36. I CER	TIFY THIS ACC	COU	NT IS CORRECT AND I	PROPER F	OR PAYMEN?	Γ.	31. PAYMENT				34. CHECK NU	MBER
a. DATE	MMDD)		b. SIGNATURE AND	TITLE OF	CERTIFYING	OFFICER	PARTIA FINAL				35. BILL OF L	ADING NO.
37. RECE	IVED AT		38. RECEIVED BY (P	'rint)	39. DATE RE (YYYYMM)		40. TOTAL CO TAINERS	DN-	41. S/R ACCO	OUNT NUMBER	42. S/R VOUCE	ER NO.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 2 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

SUPPLEMENTAL INFORMATION

Acknowledge all the amendments you've received from us by identifying the amendment number and its issue date in the box below:

:		:		:
:	Amendment Number	:	Date	:
:		:		:
:		:		:
:		:		:
:		:		:
:		:		:
:		:		:
:		:		:
:		:		:
:		:		:
:		:		:

[End of Clause]

<u>Regulatory Cite</u>	Title	Date
1 52.201-4000 (TACOM)	TACOM-WARREN OMBUDSPERSON	JAN/2006
(IACOM)		

Information regarding the TACOM-Warren Ombudsperson is located at the website http://contracting.tacom.armv.mil/acginfo/ombudsperson.htm

[End of Clause]

2 52.204-4016 TACOM-WARREN ELECTRONIC CONTRACTING (TACOM)

SEP/2006

- (a) All TACOM solicitations and awards are distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web.
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) Unless otherwise authorized in this solicitation, you are required to submit your offer, bid, or quote electronically, normally via email or datafax. For detailed information about submitting your offer electronically, please see http://contracting.tacom.army.mil/acqinfo/ebidnotice.htm.
 - (1) The proper TACOM addresses for offer submission are:
 - (i) RFQs: Email your quote to the contract specialist's email address found on the RFQ cover sheet or the DD Form 1155.
- (ii) RFP and Sealed Bidding: Email your offer to:offers@tacom.army.mil If you datafax your proposal/bid, address your header to: offers@tacom.army.mil and fax to the TACOM Network fax Server at datafax number 1-586-574-5527.
- (2) When datafaxing or emailing an offer, the submitted file cannot exceed 7 megabytes. Clearly state Quote, Offer, or Bid on your fax cover page or on the subject line of the e-mail. Use only one of the terms Quotation, Offer, or Bid depending on the solicitation type. Include your company name and annotate the proper internal TACOM address for proper internal routing.
- (3) Authentication for datafax submission is verified by the offeror returned address. Quotes, Bids, or Offers may be sent via datafax using a personal computer or a standalone datafax machine. If you are submitting a datafax, a confirmation of receipt for TACOM-Warren will not be sent.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil . If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. For technical assistance in doing business with the Government, and doing business electronically, please visit the Procurement Technical Assistance Center Website at http://www.aptac-us.org/new/ to find a location near you.

[End of Clause]

3 52.214-4003 ALL OR NONE (TACOM)

MAR/1998

Page 3 of 35

Offers in response to this solicitation must be submitted for the total quantity of the items identified in the solicitation.

- (1) ONLY ONE AWARD WILL BE MADE AS A RESULT OF THIS SOLICITATION.
- (2) OFFERS SUBMITTED FOR LESS THAN THE TOTAL QUANTITIES OF ALL THE ITEMS IN THIS SOLICITATION ARE INELIGIBLE FOR AWARD.

[End of clause]

- 1. TDP is competitive.
- 2. Unrestricted solicitation.
- 3. FOB Point: Origin.

*** END OF NARRATIVE A0001 ***

- 1. The purpose of Amendment 0001 is to inform all offerors that this solicitation is competitive w/purchase parts estimated at 10-50% of the total item cost. The purchase parts are 12293287-4,2589945-5 and 12295791-10.
- 2. In addition, special process clauses along with purchase parts clauses are added to this amendment.
- 3. The closing date is hereby changed from April 10,2006 to April 24,2006 at 1300.
- 4. All other terms and conditions remain unchanged.

*** END OF NARRATIVE A0002 ***

- 1. The purpose of Amendment 0002 is to correct the TDP link (URL) on the top of page 9 to read: TDP Link (URL): https://acms.tacom.army.mil/techdata/packages/4910/014783594/EH7Y6156EH/main.htm
- 2. All other terms and conditions remain unchanged.

*** END OF NARRATIVE A0003 ***

Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 4 **of** 35

	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 4910-01-478-3594 FSCM: 19207 PART NR: 12471160 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	34	EA	\$703.59000	\$\$\$
	CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: TESTER, FUEL INJECTO PRON: EH7Y6156EH PRON AMD: 01 ACRN: AA AMS CD: 070011				
	Description/Specs./Work Statement TOP DRAWING NR: 12471160 DATE: 29-JAN-2007				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE FOR PKG DATA UNIT PACK: EA INTERMEDIATE PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV7022T606 W25G1U J 2 DEL REL CD QUANTITY DEL DATE 001 21 12-DEC-2007				
	FOB POINT: Origin				
	SHIP TO: (W25G1U) SU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY 2001 MISSION DRIVE DOOR #113-134 NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER W56HZV-07-P-1006/0000				
	DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 002 W56HZV7022T607 SW3227 J 2 DEL REL CD QUANTITY DEL DATE				

Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 5 **of** 35

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	FOB POINT: Origin SHIP TO: (SW3227) DEF DIST DEPOT RED RIVER RECEIVING BLDG 499 10TH STREET AND K AVENUE TEXARKANA TX 75507-5000 CONTRACT/DELIVERY ORDER NUMBER W56HZV-07-P-1006/0000				
0002	FSCM: 19207 PART NR: 12471160 SECURITY CLASS: Unclassified				
0002AA	OPTION CLIN	34	EA	\$ 703.59000	\$\$23,922.06
	NOUN: TESTER, FUEL INJECTO				
	OPTION QUANTITY, PURSUANT TO THE CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY SEPARATELY PRICED LINE ITEM (52.217-4001). The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.				
	(End of narrative B001)				
	Description/Specs./Work Statement TOP DRAWING NR: 12471160 DATE: 29-JAN-2007				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE FOR PKG DATA UNIT PACK: EA INTERMEDIATE PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL				

Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 6 **of** 35

TEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001				
	DEL REL CD QUANTITY DEL DATE				
	001 34 UNDEFINITIZED				
	FOB POINT: Origin				
	SHIP TO: (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS				
	REQUISITION. CONTRACT/DELIVERY ORDER NUMBER				
	W56HZV-07-P-1006/0000				

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 7 **of** 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

4 52.211-4015 CONFIGURATION CONTROL - ENGINEERING CHANGES (TACOM)

DEC/2005

(a) DEFINITIONS:

- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
 - (2) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
 - (3) Value Engineering Change Proposal (VECP). A proposal that --
 - (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
 - (A) In deliverable end item quantities only;
 - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
 - (C) To the contract type only.
- (4) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDDs) which can be found at the following website: http://contracting.tacom.army.mil/engr/engrchange.htm. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
 - (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is MM.
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products or later versions: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
 - (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
 - (d) Submittal Procedures for ECPs/VECPs/RFDs.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 8 of 35
CONTINUATION SHEET	PIIN/SIIN W56HZV-07-P-1006 MOD/AMD	

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

- (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
- (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

Email a copy of the contractor's request and ACO comments (DD Form 1998) to the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155. Indicate end item application (if known) in subject line, along with the NSN and contract number.

- (f) Approval of ECPs, VECPs and RFDs.
- (1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.
- (2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.
 - (3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.
- (g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.
- (h) Reminder Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.
 - (i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.
 - (j) Questions.
- (1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (OAR).
- (2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155

[End of Clause]

5 52.211-4072 TECHNICAL DATA PACKAGE INFORMATION JAN/2005 (TACOM)

The following "X"d item applies to this solicitation:

- [] There is no Technical Data Package (TDP) included with this solicitation.
- [] The TDP for this solicitation is on a CD ROM and must be ordered. Ordering instructions can be obtained at Uniform Resource locator (URL): http://contracting.tacom.army.mil/bidreq.htm
- [x] This solicitation contains one, or, more Web located TDPs. If multiple Contract Line Item Numbers (CLINs) are listed, each one will have its own URL just under the CLIN listing. The URL will take you to that CLIN's Web located TDP. To access the TDP, you will have to copy or type the link's URL into your web browser address bar at the top of the screen.

Note: To copy a link from a .pdf file, click on the "Text Select Tool," then highlight the URL, copy and paste it into your browser, and hit the enter key.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 9 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

CLIN: 0001AA

TDP Link (URL): https://acms.tacom.army.mil/techdata/packages/4910/014783594/EH7Y6156EH/main.htm

[End of Clause]

6 52.246-4053 (TACOM) JAN/2001

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD-1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916.

[End of Clause]

7 52.211-4008 DRAWING LIMITATIONS (TACOM)

NOV/2005

- (a) The drawings supplied with this contract are <u>not</u> shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:
 - (1) depict the completed (item(s), and
 - (2) serve as the basis for inspection of the completed item(s).

USE OF MIL-STD 1916

- (b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.
- (c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.
- (d) You, the contractor, are responsible for obtaining all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.
- (e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

8 52.211-4011 ACQUISITION OF MANUFACTURER'S PART NUMBER: COMPONENTS (TACOM)

FEB/1998

One or more of the drawings for part of the contract item set forth in the Schedule and in the Technical Data Package specify manufacturer's part numbers. Since complete Government technical data for such part or parts are not available, it is understood that the Contractor, by accepting this contract, agrees to furnish only the listed manufacturer's part number(s) for those components of the contract item, except as provided in the provision entitled NOTICE REGARDING "SOURCE-CONTROLLED" COMPONENTS. (In Section L or near the end of this solicitation.) It is further understood and agreed that references to manufacturer's part numbers herein shall be deemed to include all changes or revisions thereto which the approved manufacturer has made effective as of the first date of delivery of any of the items under this contract; provided, that no change or revision that affects the interchangeability (ability to be interchanged with previous parts and to match with all mating parts when assembled) of the listed manufacturer's part shall be incorporated into the contract item without the prior written approval of the Procuring Contracting Officer.

	Reference No. of Document Being Continued
CONTINUATION SHEET	

PIIN/SIIN W56HZV-07-P-1006 MOD/AMD

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

9 52.211-4514 PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS)
(TACOM)

NOV/2005

Page 10 of 35

- (a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the requirements in the specification/standard defined below.
 - (b) The following requirements shall apply:
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: B
 - (3) QUANTITY PER UNIT PACKAGE: 001
 - (4) SPECIFICATION/STANDARD: MIL-STD-2073-1D
- (c) The specification/standard cited is intended to give a clear and accurate description of the technical packaging requirements for the item being procured, including the procedure by which it can be determined that the requirements have been met. Specific instructions and/or tailoring of the specification/standard is detailed in the supplemental instructions below. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing and without affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO with copies to the ACO. The government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing.

(d) Marking:

- (1) In addition to any special markings called out by the specification/standard above, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."
- (4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD)including the required Code 39 and 2D (PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)
- (e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.
 - (f) Hazardous Materials (As applicable):

CONTINUATION SHEET	Reference No. of Document Beir	Page 11 (
COT(TIT(CITTOT(DILECT	PIIN/SIIN W56HZV-07-P-1006	MOD/AMD	

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

of 35

- (2) When applicable, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
 - International Air Transport Association (IATA) Dangerous Goods Regulations
 - International Maritime Dangerous Goods Code (IMDG)
 - Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
 - Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
 - (g) SUPPLEMENTAL INSTRUCTIONS: -5-

[End of Clause]

10 252.211-7003 ITEM IDENTIFICATION AND VALUATION (Alternate I version dated April JUN/2005 2005)

NOTE: Paragraph (a) comes after paragraphs (b) through (d) below. It was placed there because it's content is inconsequentical as none of the definitions contained therein are used in this Alternate I version of this DFARS clause.

- (b) The Contractor shall deliver all items under a contract line, subline, or exhibit line item.
- (c) For each item delivered under a contract line, subline, or exhibit line item under paragraph (b) of this clause, in addition to the information provided as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the Contractor shall report the Governments unit acquisition cost.
- (d) The Contractor shall submit the information required by paragraph (c) of this clause in accordance with the data submission procedures at http://www.acq.osd.mil/dpap/UID/DataSubmission.htm.
 - (a) Definitions. As used in this clause--

"Automatic identification device" means a device, such as a reader or interrogator, used to retrieve data encoded on machine-readable media.

Concatenated unique item identifier means

- (1) For items that are serialized within the enterprise identifier, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, and unique serial number within the enterprise identifier; or
- (2) For items that are serialized within the original part, lot, or batch number, the linking together of the unique identifier data elements in order of the issuing agency code; enterprise identifier; original part, lot, or batch number; and serial number within the original part, lot, or batch number.

Data qualifier means a specified character (or string of characters) that immediately precedes a data field that defines the general category or intended use of the data that follows.

DoD recognized unique identification equivalent means a unique identification method that is in commercial use and has been recognized by DoD. All DoD recognized unique identification equivalents are listed at

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 12 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

http://www.acq.osd.mil/dpap/UID/equivalents.html.

DoD unique item identification means a system of marking items delivered to DoD with unique item identifiers that have machine-readable data elements to distinguish an item from all other like and unlike items. For items that are serialized within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier and a unique serial number. For items that are serialized within the part, lot, or batch number within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier; the original part, lot, or batch number; and the serial number.

Enterprise means the entity (e.g., a manufacturer or vendor) responsible for assigning unique item identifiers to items.

Enterprise identifier means a code that is uniquely assigned to an enterprise by an issuing agency. Governments unit acquisition cost means

- (1) For fixed-price type line, subline, or exhibit line items, the unit price identified in the contract at the time of delivery;
- (2) For cost-type or undefinitized line, subline, or exhibit line items, the Contractors estimated fully burdened unit cost to the Government at the time of delivery; and
- (3) For items produced under a time-and-materials contract, the Contractors estimated fully burdened unit cost to the Government at the time of delivery.

Issuing agency means an organization responsible for assigning a non-repeatable identifier to an enterprise (i.e., Dun & Bradstreets Data Universal Numbering System (DUNS) Number, Uniform Code Council (UCC) /EAN International (EAN) Company Prefix, or Defense Logistics Information System (DLIS) Commercial and Government Entity (CAGE) Code.

Issuing agency code means a code that designates the registration (or controlling) authority for the enterprise identifier.

Item means a single hardware article or a single unit formed by a grouping of subassemblies, components, or constituent parts.

Lot or batch number means an identifying number assigned by the enterprise to a designated group of items, usually referred to as either a lot or a batch, all of which were manufactured under identical conditions.

Machine-readable means an automatic identification technology media, such as bar codes, contact memory buttons, radio frequency identification, or optical memory cards.

Original part number means a combination of numbers or letters assigned by the enterprise at item creation to a class of items with the same form, fit, function, and interface.

Parent item means the item assembly, intermediate component, or subassembly that has an embedded item with a unique item identifier or DoD recognized unique identification equivalent.

Serial number within the enterprise identifier means a combination of numbers, letters, or symbols assigned by the enterprise to an item that provides for the differentiation of that item from any other like and unlike item and is never used again within the enterprise.

Serial number within the part, lot, or batch number means a combination of numbers or letters assigned by the enterprise to an item that provides for the differentiation of that item from any other like item within a part, lot, or batch number assignment.

Serialization within the enterprise identifier means each item produced is assigned a serial number that is unique among all the tangible items produced by the enterprise and is never used again. The enterprise is responsible for ensuring unique serialization within the enterprise identifier.

Serialization within the part, lot, or batch number means each item of a particular part, lot, or batch number is assigned a unique serial number within that part, lot, or batch number assignment. The enterprise is responsible for ensuring unique serialization within the part, lot, or batch number within the enterprise identifier.

Unique item identifier means a set of data elements marked on items that is globally unique and unambiguous.

Unique item identifier type means a designator to indicate which method of uniquely identifying a part has been used. The current list of accepted unique item identifier types is maintained at http://www.acq.osd.mil/dpap/UID/uid_types.html

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 13 **of** 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

11 252.211-7006

RADIO FREQUENCY IDENTIFICATION (reflects DoD Class Deviation 2006-00003)

MAY/2006

Note: This clause requires contractors to affix passive (as defined in the clause) RFID tags at the case and palletized unit load level when shipping parts to the depots shown in paragraph b(1)(ii) below. "New Cumberland" is a part of Susquehanna. Shipements to New Cumberland require RFID tagging where the DoDAAC is either W25G1U or SW3124. Procurement Technical Assistance Centers (PTACs) http://www.dla.mil/db/procurem.htm can assist contractors with this RFID requirement. Check with one in your region.

(a) Definitions. As used in this clause

Advance shipment notice means an electronic notification used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment.

Bulk commodities means the following commodities, when shipped in rail tank cars, tanker trucks, trailers, other bulk wheeled conveyances, or pipelines:

- (1) Sand.
- (2) Gravel.
- (3) Bulk liquids (water, chemicals, or petroleum products).
- (4) Ready-mix concrete or similar construction materials.
- (5) Coal or combustibles such as firewood.
- (6) Agricultural products such as seeds, grains, or animal feed.

Case means either a MIL-STD-129 defined exterior container within a palletized unit load or a MIL-STD-129 defined individual shipping container.

Electronic Product Code\'99 (EPC) means an identification scheme for universally identifying physical objects via RFID tags and other means. The standardized EPC data consists of an EPC (or EPC identifier) that uniquely identifies an individual object, as well as an optional filter value when judged to be necessary to enable effective and efficient reading of the EPC tags. In addition to this standardized data, certain classes of EPC tags will allow user-defined data. The EPC tag data standards will define the length and position of this data, without defining its content.

EPCglobal\'99 means a joint venture between EAN International and the Uniform Code Council to establish and support the EPC network as the global standard for immediate, automatic, and accurate identification of any item in the supply chain of any company, in any industry, anywhere in the world.

Exterior container means a MIL-STD-129 defined container, bundle, or assembly that is sufficient by reason of material, design, and construction to protect unit packs and intermediate containers and their contents during shipment and storage. It can be a unit pack or a container with a combination of unit packs or intermediate containers. An exterior container may or may not be used as a shipping container.

Palletized unit load means a MIL-STD-129 defined quantity of items, packed or unpacked, arranged on a pallet in a specified manner and secured, strapped, or fastened on the pallet so that the whole palletized load is handled as a single unit. A palletized or skidded load is not considered to be a shipping container. A loaded 463L System pallet is not considered to be a palletized unit load. Refer to the Defense Transportation Regulation, DoD 4500.9-R, Part II, Chapter 203, for marking of 463L System pallets.

Passive RFID tag means a tag that reflects energy from the reader/interrogator or that receives and temporarily stores a small amount of energy from the reader/interrogator signal in order to generate the tag response.

- (1) Until February 27, 2007, the acceptable tags are
 - (i) EPC Class 0 passive RFID tags that meet the EPCglobal Class 0 specification; and
- (ii) EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 specification. This includes both the Generation 1 and Generation 2 Class 1 specifications.
- (2) Beginning March 1, 2007, the only acceptable tags are EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 Generation 2 specification. Class 0 and Class 1 Generation 1 tags will no longer be accepted after February 28, 2007.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 14 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

Radio Frequency Identification (RFID) means an automatic identification and data capture technology comprising one or more reader/interrogators and one or more radio frequency transponders in which data transfer is achieved by means of suitably modulated inductive or radiating electromagnetic carriers.

Shipping container means a MIL-STD-129 defined exterior container that meets carrier regulations and is of sufficient strength, by reason of material, design, and construction, to be shipped safely without further packing (e.g., wooden boxes or crates, fiber and metal drums, and corrugated and solid fiberboard boxes).

(b

- (1) Except as provided in paragraph (b)(2) of this clause, the Contractor shall affix passive RFID tags, at the case and palletized unit load packaging levels, for shipments of items that
- (i) Are in any of the following classes of supply, as defined in DoD 4140.1-R, DoD Supply Chain Materiel Management Regulation, AP1.1.11:
 - (A) Subclass of Class I Packaged operational rations.
 - (B) Class II Clothing, individual equipment, tentage, organizational tool kits, hand tools, and administrative and housekeeping supplies and equipment.
 - (C) Class IIIP Packaged petroleum, lubricants, oils, preservatives, chemicals, and additives.
 - (D) Class IV Construction and barrier materials.
 - (E) Class VI Personal demand items (non-military sales items).
 - (F) Subclass of Class VIII Medical materials (excluding pharmaceuticals, biologicals, and reagents).
 - (G) Class IX Repair parts and components including kits, assemblies and subassemblies, reparable and consumable items required for maintenance support of all equipment, excluding medical-peculiar repair parts; and
 - (ii) Are being shipped to any of the following locations:
 - (A) Defense Distribution Depot, Susquehanna, PA: DoDAAC W25GlU or SW3124.
 - (B) Defense Distribution Depot, San Joaquin, CA: DoDAAC W62G2T or SW3224.
 - (C) Defense Distribution Depot, Albany, GA: DoDAAC SW3121.
 - (D) Defense Distribution Depot, Anniston, AL: DoDAAC W31G1Z or SW3120.
 - (E) Defense Distribution Depot, Barstow, CA: DoDAAC SW3215.
 - (F) Defense Distribution Depot, Cherry Point, NC: DoDAAC SW3113.
 - (G) Defense Distribution Depot, Columbus, OH: DoDAAC SW0700.
 - (H) Defense Distribution Depot, Corpus Christi, TX: DoDAAC W45H08 or SW3222.
 - (I) Defense Distribution Depot, Hill, UT: DoDAAC SW3210.
 - (J) Defense Distribution Depot, Jacksonville, FL: DoDAAC SW3122.
 - (K) Defense Distribution Depot, Oklahoma City, OK: DoDAAC SW3211.
 - (L) Defense Distribution Depot, Norfolk, VA: DoDAAC SW3117.
 - (M) Defense Distribution Depot, Puget Sound, WA: DoDAAC SW3216.
 - (N) Defense Distribution Depot, Red River, TX: DoDAAC W45G19 or SW3227.
 - (0) Defense Distribution Depot, Richmond, VA: DoDAAC SW0400.

CONTINUATION SHEET Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 15 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

- (P) Defense Distribution Depot, San Diego, CA: DoDAAC SW3218.
- (Q) Defense Distribution Depot, Tobyhanna, PA: DoDAAC W25GlW or SW3114.
- (R) Defense Distribution Depot, Warner Robins, GA: DoDAAC SW3119.
- (S) Air Mobility Command Terminal, Charleston Air Force Base, Charleston, SC: Air Terminal Identifier Code CHS.
- (T) Air Mobility Command Terminal, Naval Air Station, Norfolk, VA: Air Terminal Identifier
- (U) Air Mobility Command Terminal, Travis Air Force Base, Fairfield, CA: Air Terminal Identifier Code SUU.
- (2) Bulk commodities are excluded from the requirements of paragraph (b)(1) of this clause.
- (c) The Contractor shall ensure that
- (1) The data encoded on each passive RFID tag are unique (i.e., the binary number is never repeated on any and all contracts) and conforms to the requirements in paragraph (d) of this clause;
 - (2) Each passive tag is readable; and
- (3) The passive tag is affixed at the appropriate location on the specific level of packaging, in accordance with MIL-STD-129 (Section 4.9.2) tag placement specifications.
- (d) Data syntax and standards. The Contractor shall encode an approved RFID tag using the instructions provided in the most recent EPC\'99 Tag Data Standards document, available at http://www.epcglobalinc.org/standards_technology/specifications.html.
- (1) If the Contractor is an EPCglobal\'99 subscriber and possesses a unique EPC\'99 company prefix, the Contractor may use any of the identity types and encoding instructions described in the most recent EPC\'99 Tag Data Standards document to encode tags.
- (2) If the Contractor chooses to employ the DoD Identity Type, the Contractor shall use its previously assigned Commercial and Government Entity (CAGE) Code and shall encode the tags in accordance with the tag identity type details located at http://www.acq.osd.mil/log/rfid/tag_data.htm. If the Contractor uses a third party packaging house to encode its tags, the CAGE code of the third party packaging house is acceptable.
- (3) Regardless of the selected encoding scheme, the Contractor is responsible for ensuring that each tag contains a globally unique identifier.
- (e) Receiving report. The Contractor shall electronically submit advance shipment notice(s) with the RFID tag identification (specified in paragraph (d) of this clause) in advance of the shipment in accordance with the procedures at http://www.acq.osd.mil/log/rfid/advance_shipment_ntc.htm.

[End of Clause]

INSPECTION AND ACCEPTANCE

12	52.246-2	INSPECTION OF SUPPLIESFIXED-PRICE	AUG/1996
13	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
14	52.246-4025 (TACOM)	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENTTACOM QUALITY SYSTEM REQUIREMENT	MAY/2005

- (a) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of contract performance.
 - (b) Your quality system under this contract shall be in accordance with the quality system indicated by an X below:
 - [x] ISO 9001:2000 (tailored: delete paragraph 7.3) or comparable quality system

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 16 of 35

|--|

	[]	ISO	9001:2000	00 (untailored) or comparable quality system		
]]	ISO	9001:2000	00 (tailored: delete paragraphs -1-) or comparable quality system		
_				=	em comparable to ISO 9001:2000, please identify your quality system below. You may use an ir ommercial, military, national, or international system.	n-house o	quality

In addition to identifying your proposed system in the space above, you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive a contract award, your proposed system will be required by the contract.)

- (c) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.
- (d) At any point during contract performance, we have the right to review your quality system to assess its effectiveness in meeting contractual requirements.

[End of Clause]

15 52.246-15 CERTIFICATE OF CONFORMANCE

APR/1984

- (a) When authorized in writing by the cognizant Contract Administration Office (CAO), the Contractor shall ship with a Certificate of Conformance any supplies for which the contract would otherwise require inspection at source. In no case shall the Government's right to inspect supplies under the inspection provisions of this contract be prejudiced. Shipments of such supplies will not be made under this contract until use of the Certificate of Conformance has been authorized in writing by the CAO, or inspection or inspection and acceptance have occurred.
- (b) The Contractor's signed certificate shall be attached to or included on the top copy of the inspection or receiving report distributed to the payment office or attached to the CAO copy when contract administration (Block 10 of the DD Form 250) is performed by the Defense Contract Administration Services. In addition, a copy of the signed certificate shall also be attached to or entered on copies of the inspection or receiving report accompanying the shipment.
- (c) The Government has the right to reject defective supplies or services within a reasonable time after delivery by written notification to the Contractor. The Contractor shall in such event promptly replace, correct, or repair the rejected supplies or services at the Contractor's expense.
 - (d) The certificate shall read as follows:

act

Date	of	Execution:	
Signa	atui	re:	

[End of Clause]

Title:

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 17 **of** 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

(TACOM

ALUMINUM SURFACES

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490.

Corrosion resistance tests on steel substrates will be conducted on a monthly basis using two test coupons. This test frequency shall begin once the process has been found to be in statistical control.

Unless otherwise specified, MIL-P-53022 and -53030 primers on steel substrates shall be salt spray tested for 336 hours (ASTM B117). All electrocoat primers on steel substrates shall be tested for 1000 hours. Test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. All TT-C-490E (Type I) zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be available for review at the applicator's facility.

The prime contractor shall notify the procuring activity no less than 45 days prior to start of pretreatment and painting that the procedure is available for review and approval. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification.

Re-qualification of the process shall be required if the process is changed outside the limits defined in the TACOM letter of system approval provided to the application facility.

Note: Zinc phosphate systems for galvanized surfaces require different controls than those for steel. Hot dipped galvanized surfaces are highly prone to chloride contamination from the galvanizing flux process. This contaminant must be removed prior to pretreatment for the coating system to pass these performance tests. The test coupons must duplicate the production painting process as closely as possible. If production is force cured, test coupons shall be cured in an identical manner.

- (b) Qualification and control of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P rather than salt spray. Test coupons with pretreatment and primer only shall be cured for seven days, and then scribed through the primer to the substrate. After 40 cycles of test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, both parallel and perpendicular to the scribe after removal from the test chamber for coupon evaluation. There shall be no more than 3 mm of corrosion, blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with none greater than 1 mm diameter. This test shall be performed at three month intervals (two test coupons) to ensure that the process remains in control.
- (c) Aluminum substrates require a chromate conversion coating per MIL-C-5541E (or alternate, see note below). If any other alternate pretreatment is considered, it must pass 120 cycles of GM9540P with a design of experiments test matrix approved by the procuring activity. After completion of the cyclic salt environment exposure, the panels shall be scraped as described above, and shall have no more than 0.5 mm paint loss (creep-back) from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm diameter. After completion of the 120 cycle corrosion resistance test evaluation, each test panel will be subjected to cross hatch tape test (ASTM D3359, method b 6 cut pattern. minimum tape adhesion rating of 45 oz. per inch of width) and shall be done no closer than 12 mm from any panel edge or the scribe. The removal of two or more complete squares of primer shall constitute failure. Any alternate system must demonstrate its ability to pass both corrosion and adhesion tests on 5 consecutive days of production to be considered acceptable.

For information purposes:

Note: The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700. Documented process controls shall be established which comply with the manufacturer's technical bulletin. Spray-to-waste systems will require fewer process controls than an immersion process.

- (d) The use of TT-C-490E Type III: Vinyl Wash Primer (DOD-P-15328) has hexavalent chromium content and high VOC level. Bonderite 7400 is an approved, environmentally friendly alternative for wash primer. The application and control process shall be documented. This product is subject to the same salt spray requirements as a zinc phosphated product. The number of process controls for this product is dependent upon its method of application. The specific controls shall be in agreement with the product manufacturer's technical bulletin to provide the level of performance required for zinc phosphated substrates. Spray-to-waste applications will require fewer process controls than an immersion process.
- (e) Acceptance of production painted parts is contingent upon the painted surface meeting the dry film thickness and cross hatch adhesion requirements. The CARC painted surface shall be free of any blisters, pores or coverage voids.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 18 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

(TACOM

- (a) <u>DESIGN CHANGES TO ITEMS NOT UNDER GOV'T DESIGN CONTROL</u>. Once the Government accepts the first production test item, or accepts the first end item you deliver, (whichever comes first) you must not make design changes to any item or part that is not under Government design control.
- (b) <u>WHEN THE POLICY CAN BE WAIVED</u>. The Procuring Contracting Officer (PCO) will consider waiving this policy at your request. If your request reaches the CO after the first production item test has been performed, then we may conduct another first production test at your expense.
 - (c) PRODUCTION OR DELIVERY DELAYS. Any production or delivery delays caused by this retesting will not be the basis for:
 - (1) an "excusable delay" as defined in the DEFAULT clause of this contract.
 - (2) be the basis for an increase in contract price or delivery schedule extension.

[End of clause]

18 52.211-4030 BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT DEC/2005
(TACOM) RESISTANT COATINGS (CARC) ON METALLIC SURFACES

- (a) Scope: The requirements contained herein apply whenever any CARC topcoats and primers as specified in MIL-DTL-53072 are cited in the contract.
- (b) CARC Primers: Select Army Research Laboratories (ARL) approved powder coat primers can also be used as a replacement for liquid primers such as MIL-P-53022 and MIL-P-53030 primers. Any part that has rust, mill scale, or any other surface contamination must be cleaned prior to the application of any coating IAW TT-C-490.
- (c) End-Item Inspection. After the complete paint finish has been applied and cured* (see note below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited.

At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall be the sum of the minimum and maximum thicknesses for individual elements of the paint finish as specified in MIL-DTL-53072. The specific number of test locations shall be agreed to by the Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the Government quality assurance representative before the test is conducted.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required topcoat so that the tested area conforms to the requirements total DFT specified in MIL-DTL-53072.

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees Fahrenheit for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F minimum.

- (d) Test Methods:
- (1) The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.
 - (2) Scribe Tape Test. Shall be IAW ASTM D 3359 Method B, six (6) cut pattern.
 - (e) Acceptance Criteria:

CONTINUATION SHEET	Reference No. of Document Be	ing Continued	Page 19 of 35
CONTINUENTION SHEET	PIIN/SIIN W56HZV-07-P-1006	MOD/AMD	

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 95% of the surfaces shall meet the minimum and maximum, cumulative dry film thickness requirements. Failure of this test shall result in rejection of the production lot that it represents.

- (2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment combination constitutes failure and the production lot is rejected. Removal of overspray does not constitute test failure.
 - (f) CHEMICAL AGENT RESISTANT COATING (CARC) ON WOOD COMPONENTS.
- (1) Wood shall be treated and painted IAW MIL-DTL-53072 section 3.3.4. After treatment, the wood shall provide a paintable surface as described by the paint-ability requirements of Spec TT-W-572, except that the wood species, treatment, and paint shall be the same as furnished for this contract.
- (2) After demonstrating that the paint adhesion requirements are met, and Government inspection/acceptance of this item has occurred, any subsequent flaking and peeling of paint from the wood shall not be considered a defect unless the Government establishes that the flaking and/or peeling of the paint was caused by defective workmanship in the application of the paint or the preparation of the painted surface.

[End of Clause]

19 52.246-4028 INSPECTION AND ACCEPTANCE POINTS: ORIGIN NOV/2005 (TACOM)

The Government's inspection and acceptance of the supplies offered under this contract/purchase order shall take place at ORIGIN.

Offeror must specify below the exact name, address, and CAGE of the facility where supplies to be furnished under this contract/purchase order will be available for inspection/acceptance.

[End of Clause]

DELIVERIES OR PERFORMANCE

20	52.211-17	DELIVERY OF EXCESS QUANTITIES	SEP/1989
21	52.242-15	STOP-WORK ORDER	AUG/1989
22	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
23	52.247-29	F.O.B. ORIGIN	FEB/2006
24	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
25	52.247-59	F.O.B. ORIGINCARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
26	52.242-4022 (TACOM)	DELIVERY SCHEDULE	SEP/2006

- (a) Offers that propose delivery that will not clearly fall within the applicable required delivery schedule specified below MAY BE CONSIDERED NONRESPONSIVE AND NOT ELIGIBLE FOR AWARD. If you believe that the delivery schedule or quantity is unrealistic, contact the buyer listed on the cover sheet of this solicitation at least 14 days prior to solicitation closing date.
 - (b) DEFINITIONS:
 - (1) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (OTY) of

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 20 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

supplies.

(2) DELIVERY is defined as follows:

FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual contract; or

FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.

- (c) The Government requires delivery to be made according to the following schedule:
 - (1) GOVERNMENT REQUIRED DELIVERY SCHEDULE WITH FIRST ARTICLE TEST (FAT)

ITEM NO. QTY WITHIN DAYS AFTER DATE OF CONTRACT AWARD

0001AA 34 150

(2) GOVERNMENT REQUIRED DELIVERY SCHEDULE IF THERE IS NO FIRST ARTICLE TEST (FAT), OR IF FAT IS WAIVED

ITEM NO. QTY WITHIN DAYS AFTER DATE OF CONTRACT AWARD

0001AA 34 150

- (d) If the offeror does not propose an accelerated delivery schedule, the required delivery schedule above will apply. If you wish to propose an accelerated delivery schedule at no additional cost, fill in the appropriate information here:
 - (1) OFFERORS PROPOSED ACCELERATED DELIVERY SCHEDULE WITH FIRST ARTICLE TEST (FAT)

ITEM NO. QTY WITHIN DAYS AFTER DATE OF CONTRACT AWARD

(2) OFFERORS PROPOSED ACCELERATED DELIVERY SCHEDULE WITHOUT FIRST ARTICLE TEST (FAT), or IF FAT IS WAIVED

ITEM NO. QTY WITHIN DAYS AFTER DATE OF CONTRACT AWARD

(e) You can accelerate delivery after contract award at no additional cost to the government.

[End of Clause]

27 52.211-16 VARIATION IN QUANTITY

APR/1984

- (a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.
 - (b) The permissible variation shall be limited to:

ZERO percent increase; and

ZERO percent decrease.

(iii) Item ___

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 21 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

(c) This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

28 52.247-60 GUARANTEED SHIPPING CHARACTERISTICS

DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

(1)	To be c	ompleted by the offeror:
	(i)	Type of "Outer" container: Wood Box, Fiber BoxX_, Barrel, Reel, Drum, Other (Specify)
	(ii)	Shipping configuration: Knocked-down, Set-up, Nested _X, Other (specify);
	(iii)	Size of outer container: 12 inches (Length), x 12 inches (Width), x 12 inches (Height) = 1 Cubic FT;
	(iv)	Number of items per outer container 1 Each;
	(v)	Gross weight of outer container and contents LBS
	(vi)	Palletized/skidded X Yes No;
	(vii)	Number of outer containers per pallet/skid <u>Up to 34</u> ;
	(viii)	Weight of empty pallet bottom/skid and sides40 LBS;
	(ix)	Size of pallet/skid and contents <u>182.8</u> LBS Cube <u>16 FT</u> ;
	(x)	Number of outer containers or pallets/skids per railcar $\underline{\hspace{1cm} N/A}$ *
		Size of railcar
		Type of railcar
	(xi)	Number of outer containers or pallets/skids per trailer N/A *
		Size of trailer
		Type of trailer
*Number of co	mplete u	nits (contract line item) to be shipped in carrier's equipment.
(2)	To be c	ompleted by the Government after evaluation but before contract award:
	(i)	Rate used in evaluation;
	(ii)	Tender/Tariff;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 22 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

[End of FAR Clause]

The following information is provided as guidance in filling out the above clause by paragraph. Note: Disregard asterisk (*) in the clause where it appears.

(a)(1)(i) Type of container (mandatory fill-in):

The type of container is defined as an overpack. This is an outer container usually made of steel, wood, or fiber designed to enclose and protect one or more less durable inner containers. When Other is selected you must also complete (a)(1)(ii) Shipping configuration.

(a)(1)(ii) Shipping configuration:

Complete this information when any one dimension of the item is reduced.

(a)(1)(iii) Size of container (mandatory fill-in):

Outer dimensions of the overpack or other described shipping configuration. Must be provided in inches. The cube shall be provided in cubic feet. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(iv) Number of items per container (mandatory fill-in):

The number of units of issue in the overpack or in the other described shipping configuration.

(a)(1)(v) Gross weight of container and contents (mandatory fill-in):

The combined mass of the overpack containing the packing material and the number of units of issue supplied in pounds.

(a)(1)(vi) Palletized/skidded:

Indicate Yes if overpack or other described shipping configuration is attached to pallet or skid to form a unit load for handling.

(a)(1)(vii) Number of containers per pallet/skid:

Only complete this if you answered Yes to (a)(1)(vi). Containers are the number of overpacks or other described shipping configurations attached to a pallet or skid base.

(a)(1)(viii) Weight of empty pallet bottom/skid and sides:

Only complete this if you answered Yes to (a)(1)(vi) or when the weight of the container and contents in (a)(1)(v) above does not include this weight.

(a)(1)(ix) Size of pallet/skid and contents:

Only complete this if you answered Yes to (a)(1)(vi). Indicate weight in pounds and cube in cubic feet of combined overpack or other described shipping configuration and attached pallet or skid. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(x) Number of containers or pallets/skids per railcar:

Only complete this if you have rail capability and the rail car may be fully utilized. Quantity of overpacks or other described shipping configurations that will fit in a fully utilized railcar. Specify length in feet and type (flat, box, gondola, etc.) of railcar.

(a)(1)(xi) Number of containers or pallets/skids per trailer (mandatory fill-in): Quantity of overpacks or other described shipping configurations that will fit in a fully utilized trailer. Specify length in feet and type (flatbed, van, etc.) of trailer. For import/export shipments in ISO/seavan containers indicate quantity of overpacks or other described shipping configurations fully utilizing the container. Specify length in feet of the ISO/seavan containers.

NOTE: "Fully Utilized" means filling to full visible capacity.

29 52.247-65 F.O.B. ORIGIN--PREPAID FREIGHT--SMALL PACKAGE SHIPMENTS JAN/1991

- (a) When authorized by the Contracting Officer, f.o.b. origin freight shipments which do not have a security classification shall move on prepaid commercial bills of lading or other shipping documents to domestic destinations, including air and water terminals. Weight of individual shipments shall be governed by carrier restrictions but shall not exceed 150 pounds by any form of commercial air or 1,000 pounds by other commercial carriers. The Government will reimburse the Contractor for reasonable freight charges.
- (b) The Contractor shall annotate the commercial bill of lading as required by the clause of this contract entitled Commercial Bill of Lading Notations.
- (c) The Contractor shall consolidate prepaid shipments in accordance with procedures established by the cognizant transportation office. The Contractor is authorized to combine Government prepaid shipments with the Contractor's commercial shipments for delivery to

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 23 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

one or more consignees and the Government will reimburse its pro rata share of the total freight costs. The Contractor shall provide a copy of the commercial bill of lading promptly to each consignee. Quantities shall not be divided into mailable lots for the purpose of avoiding movement by other modes of transportation.

- (d) Transportation charges will be billed as a separate item on the invoice for each shipment made. A copy of the pertinent bill of lading, shipment receipt, or freight bill shall accompany the invoice unless otherwise specified in the contract.
 - (e) Loss and damage claims will be processed by the Government.

[End of Clause]

30 52.247-4005 SHIPMENT OF SUPPLIES AND DETENTION OF CARRIERS EQUIPMENT AUG/2003 (TACOM)

- (a) Unless otherwise directed, shipment items under this contract in following order of priority:
 - (1) Government/Commercial Bill(s) of Lading or US Postal Services;
 - (2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or
 - (3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.
- (b) The Contractor will request:
 - (1) Government Bills of Lading and
- (2) Routing and other instructions, including Defense Transportation Regulation (DTR), DOD Regulation 4500.9-R-Part 2 Cargo Movement, as to the methods of shipment to be followed by the Contractor, or
- (c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the Contractor, except when the detention is required or caused by the Government.

[End of Clause]

31 52.247-4010 TRANSPORTATION DATA FOR FOB ORIGIN OFFERS FEB/1994 (TACOM)

(a) Provide the following information for us to use in selecting the most favorable mode of shipment. We'll also use this information in our evaluation of transportation costs.

Offeror represents that:

(1) Facilities for shipping by rail

[] are [] are not

available at the F.O.B. point(s) stated in this solicitation.

(2) If rail facilities are not available at the F.O.B. point(s), the name and location of the nearest team track is:

(NAME) (LOCATION)

(3) Facilities for shipping by water

[] are [] are not

available at the F.O.B. point(s) stated in this solicitation.

(4) Facilities for shipping by motor

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

[] are [] are not

available at the F.O.B. point(s) stated in this solicitation.

(5) If there is a Contractor Reimbursable Loading Charge and you didn't include it in the offered unit price in Section B, please indicate it below, per unit:

> RAIL:___ /Unit MOTOR:__ _/Unit WATER:___

CAUTION: GIVE THE COST OF REIMBURSABLE LOADING CHARGE (NOT ALREADY IN THE OFFERED UNIT PRICE) ON A PER UNIT BASIS. THE UNIT OF MEASURE IS AS INDICATED ON THE SCHEDULE PAGE, SECTION B, UNDER THE UNIT COLUMN.

- (b) We will consider any charge listed above in the overall transportation evaluation of this solicitation. Unless you fill-in the above information for loading charges, we will consider all costs associated with loading to be included in the item price offered in Section B. These costs include: (i) loading, (ii) blocking, (iii) bracing, (iv) drayage, (v) switching, or (vi) any other service necessary to effect delivery F.O.B. carrier's equipment you've indicated as available and we specify at time of shipment.
- (c) If rail facilities aren't available at the designated F.O.B. point(s), rail won't be used unless directed by the Administrative Contracting Officer (ACO). If the ACO tells you rail facilities will be used, we'll adjust the contract price by adding the loading charge filled in above for transportation to the nearest rail facility.
- (d) IF YOU DO NOT FILL IN AN ADDITIONAL CHARGE FOR RAIL SHIPMENT ABOVE, YOU AGREE THAT THE CONTRACT PRICE ALREADY INCLUDES ALL CHARGES FOR SUCH SHIPMENTS. THEREFORE, SHIPMENT BY RAIL WILL NOT COST US ANY MORE.

[End of Clause]

32 52.247-4011 FOB POINT

(TACOM)

SEP/1978

Page 24 of 35

Delivery on F.O.B. origin offers will be F.O.B. Carrier's equipment, wharf, or freight station, at the Government's option, at or near:

(1) Contractor's Plant:	Anniston	Al	36207	USA	
	(City)	(State)	(ZIP)	(County)	
(2) Subcontractor's Plant:					
	(City)	(State)	(ZIP)	(County)	

[End of Clause]

33 52 247-4017 DEPOT ADDRESS FOR THE APPLICABLE MODE OF SHIPMENTS: IN-THE-CLEAR MAY/2004

> (TACOM) ADDRESSES

Rail/ MILSTRIP

209405

Rail Motor Address Motor Parcel Post SPLC* Code Ship To: Ship To: Mail To:

206721/ W25G1U Transportation Officer Transportation Officer Transportation Officer

Defense Dist Depot Defense Dist Depot Defense Dist Depot Susquehanna Susquehanna Susquehanna

New Cumberland, PA New Cumberland, PA New Cumberland, PA 17070-5001

NOTE: All deliveries to New Cumberland MUST be scheduled at least 10 days prior to the delivery date. The carrier or contractor must call the New Cumberland DDSP customer service number, 800-307-8496 and provide the following information: contract number, item name, National Stock Number, total weight and cube, and vendor. All shipments to this MILSTRIP address code (W25GlU) are for mission stock and they will need to know that as well, but if you have instructions from the Contracting Officer to use MILSTRIP address code W25N14 instead, you must inform the appointment-taker that the delivery is for Consolidation and Containerization Point (CCP) stock. Appointments for FOB Origin shipments should be coordinated with DCMA Transportation.

		ATION SHEET	PIIN/SIIN W56HZV-07-P-10	06 MOD/AMD	C
Name of	Offeror or C	Contractor: B A E SYSTEMS LA	AND & ARMAMENTS		
875675		XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130	
471995/ 471996	W31G1Z	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021	
209741/ 209770	W25G1R	Transportation Officer Letterkenny Army Depot, Culbertson, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150	
661136/ 661157	W45G19	Transportation Officer Red River Army Depot, Defense, TX	Transportation Officer Red River Army Depot, Texarkana, TX	Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000	
764538/ 764535	W67G23	Transportation Officer Tooele Army Depot, Warner, UT	Transportation Officer Tooele Army Depot, Tooele, UT	Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003	

Reference No. of Document Being Continued

Page 25 of 35

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot Red River Army Depot Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

^{***}SPLC indicates \underline{S} tandard \underline{P} oint \underline{L} ocator \underline{C} ode.

	CONTINUATION SHEET			Refere	nce No.	of Document B	eing Continue	ed		Page 26 of 35
	CONTINUATION	1 ЭП	IEE I	PIIN/SIIN	W56HZV-	07-P-1006	MOD/	AMD		
Name	of Offeror or Contracto	or: B	A E SYSTEMS	S LAND & ARMAME	NTS					
CONTRAC	CT ADMINISTRATION DATA									
	PRON/						JOB			
INE	AMS CD/ OI	BLG					ORDER	ACCOUNT	NG	OBLIGATED
TEM		TAT_		CLASSIFICATION			NUMBER	STATION		AMOUNT
001AA	EH7Y6156EH AA 070011	1	97 X4930A	C6D 6D	26FB	S20113		W56HZV	\$	23,922.06
								TOTAL	\$	23,922.00
ERVIC	3						ACCOU	NTING		OBLIGATED
AME	TOTAL BY ACI	<u>RN</u>	ACCOUNTING	CLASSIFICATION			<u>STATI</u>	ON		AMOUNT
Army	AA		97 X4930A	C6D 6D	26FB	S20113	W56HZ	V	\$ _	23,922.06
								TOTAL	\$	23,922.00

When submitting a request for payment, the Contractor shall--

97 0X0X4930AC6D S20113 76D00000700110000026FB

252.204-7006 BILLING INSTRUCTIONS

252.232-7003 ELECTRONIC SUBMISSION OF PAYMENT REQUESTS

AΑ

35

(a) Identify the contract line item(s) on the payment request that reasonably reflect contract work performance; and

S20113

JAN/2004

OCT/2005

(b) Separately identify a payment amount for each contract line item included in the payment request.

[End of Clause]

36 52.204-4011 PAYMENT INSTRUCTIONS FOR THE DEFENSE FINANCE AND ACCOUNTING SERVICE OCT/2005 (TACOM) (DFAS)

In accordance with DFARS PGI 204.7108, the contract shall be paid in accordance with DFARS PGI 204.7108(d)(5), line item specific by cancellation date.

CONTRIBUTION CHEET	Reference No. of Document Beir	Page 27 of 35	
CONTINUATION SHEET	PIIN/SIIN W56HZV-07-P-1006	MOD/AMD	

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

Name of O	neror or contractor.	B A E SYSTEMS LAND & ARMAMENTS		
SPECIAL CON	FRACT REQUIREMENTS			
37	252.204-7000	DISCLOSURE OF INFORMATION	DEC/1991	
38	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	JUN/2005	
39	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003	
40	252.225-7033	WAIVER OF UNITED KINGDOM LEVIES	APR/2003	
41	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003	
42	52.217-7	OPTION FOR INCREASED QUANTITYSEPARATELY PRICED LINE ITEM	MAR/1989	

The Government may require the delivery of the numbered line item(s), identified in the Schedule as an option item, in the quantity and at the price stated in the Schedule. The Contracting Officer may exercise the option by written notice to the Contractor within 120. Delivery of added items shall continue at the same rate that like items are called for under the contract, unless the parties otherwise agree.

[End of Clause]

43 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING SEP/2004

- (a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website http://farsite.hill.af.mil/
- (b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: http://www.ccr.gov/ . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)
- (c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awd.htm Rock Island: https://aais.ria.army.mil/AAIS/AWDINFO/index.htm Picatinny: http://procnet.pica.army.mil/dbi/DynCBD/award.cfm Red River Army Depot: http://www.redriver.army.mil/contractingframes/RecentAwards.DPD.cfm Anniston Army Depot: http://www.anadprocnet.army.mil/

- (d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.
- (1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".
- (2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at http://www.acq.osd.mil/dpap/ebiz/VANs.htm . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.
- (e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Please go to the following webpage for detailed information about submitting your offer electronically: http://contracting.tacom.army.mil/ebidnotice.htm
 - (f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

CONTINUATION SHEET	Reference No. of Document Be	Page 28 of 35
	PIIN/SIIN W56HZV-07-P-1006	MOD/AMD

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

- (a) The Contractor may use either the Material Inspection and Receiving Report (DD 250) or Wide Area Workflow (WAWF) to process receiving reports for inspection, acceptance, and payment. Use only one method per contract; not both.
- (b) If you are using the Material Inspection and Receiving Report (DD 250), use one of the following methods to send each DD 250 pertaining to this contract to us:
 - (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil
 - (2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:
 - (586) 574-7788 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract. These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F. The DD250 form may be found, in three different formats, on the World Wide Web at http://www.dtic.mil/whs/directives/infomgt/forms/forminfo/forminfopage2126.html

(c) If you are using Wide Area Workflow (WAWF) instead of DD 250s, we may require copies of the WAWF Receiving Report, Bills of Lading, or other documentation to resolve delinquencies, payment issues, or other administrative issues. If this documentation is requested, use the same email address or fax number shown in paragraph (b) above to submit the information. No copies of the WAWF Receiving Report are required unless specifically requested by the PCO, buyer, or other appropriate government official.

[End of Clause]

CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: http://farsite.hill.af.mil/

45	52.208-9	CONTRACTOR USE OF MANDATORY SOURCES OF SUPPLY OR SERVICES	JUL/2004
46	52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH	SEP/2006
10	32.203 0	CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	521,2000
47	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
48	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
49	52.211-13	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	FEB/2006
49	52.213-4	TERMS AND CONDITIONSSIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL	FEB/2006
		ITEMS)	
50	52.215-8	ORDER OF PRECEDENCEUNIFORM CONTRACT FORMAT	OCT/1997
51	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
52	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
53	52.222-19	CHILD LABORCOOPERATION WITH AUTHORITIES AND REMEDIES	JAN/2006
54	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
55	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
56	52.222-26	EQUAL OPPORTUNITY	MAR/2007
57	52.222-35	EQUAL OPPORTUNITY FOR SPECIAL DISABLED VETERANS, VETERANS OF THE	SEP/2006
		VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	
58	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
59	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE	SEP/2006
		VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	
60	52.223-3	HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA	JAN/1997
61	52.223-6	DRUG FREE WORKPLACE	MAY/2001
62	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	FEB/2006
63	52.232-1	PAYMENTS	APR/1984
64	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
65	52.232-9	LIMITATION ON WITHHOLDING OF PAYMENTS	APR/1984
66	52.232-11	EXTRAS	APR/1984
			,

		шыыл	Reference No. of Document Be	Page 29 of 35		
CONTINUATION SHEET			PIIN/SIIN W56HZV-07-P-1006	MOD/AMD		
Name of Of	fferor or Contractor:	B A E SYST	EMS LAND & ARMAMENTS			
67	52.232-25	PROMPT PA	OCT/2003			
68	52.232-33	PAYMENT B	Y ELECTRONIC FUNDS TRANSFERCENTRAL C	OCT/2003		
69	52.232-23 (ALT	ASSIGNMEN	ASSIGNMENT OF CLAIMS (Alternate I version dated April 1984)			
	1)					
70	52.233-1	DISPUTES			JUL/2002	
71	52.233-3	PROTEST A	PROTEST AFTER AWARD			
72	52.233-4	APPLICABL	APPLICABLE LAW FOR BREACH OF CONTRACT CLAIM			
73	52.242-10	F.O.B. OR	F.O.B. ORIGINGOVERNMENT BILLS OF LADING OR PREPAID POSTAGE			
74	52.243-1	CHANGES	AUG/1987			
75	52.244-6	SUBCONTRA	SEP/2006			
76	52.247-1	COMMERCIA	FEB/2006			
77	52.249-1	TERMINATI	APR/1984			
		FORM)				
78	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)			APR/1984	
79	52.253-1	COMPUTER GENERATED FORMS			JAN/1991	
80	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT			APR/1992	
81	252.211-7005	SUBSTITUT	NOV/2005			
82	252.225-7016	RESTRICTI	MAR/2006			
83	252.232-7010	LEVIES ON	SEP/2005			
84	252.242-7003	APPLICATI	APPLICATION FOR U.S. GOVERNMENT SHIPPING DOCUMENTATION/INSTRUCTIONS			
85	252.243-7001	PRICING O	F CONTRACT MODIFICATIONS		DEC/1991	
86	52.223-7	NOTICE OF	RADIOACTIVE MATERIALS		JAN/1997	

- (a) The Contractor shall notify the Contracting Officer or designee, in writing 60 days prior to the delivery of, or prior to completion of any servicing required by this contract of, items containing either (1) radioactive material requiring specific licensing under the regulations issued pursuant to the Atomic Energy Act of 1954, as amended, as set forth in Title 10 of the Code of Federal Regulations, in effect on the date of this contract, or (2) other radioactive material not requiring specific licensing in which the specific activity is greater than 0.002 microcuries per gram or the activity per item equals or exceeds 0.01 microcuries. Such notice shall specify the part or parts of the items which contain radioactive materials, a description of the materials, the name and activity of the isotope, the manufacturer of the materials, and any other information known to the Contractor which will put users of the items on notice as to the hazards involved (OMB No. 9000-0107).
- (b) If there has been no change affecting the quantity of activity, or the characteristics and composition of the radioactive material from deliveries under this contract or prior contracts the Contractor may request that the Contracting Officer or designee waive the notice requirement in paragraph (a) of this clause. Any such request shall-
 - (1) Be submitted in writing;
 - (2) State that the quantity of activity, characteristics, and composition of the radioactive material have not changed; and
- (3) Cite the contract number on which the prior notification was submitted and the contracting office to which it was submitted.
- (c) All items, parts, or subassemblies which contain radioactive materials in which the specific activity is greater than 0.002 microcuries per gram or activity per item equals or exceeds 0.01 microcuries, and all containers in which such items, parts or subassemblies are delivered to the Government shall be clearly marked and labeled as required by the latest revision of MIL-STD 129 in effect on the date of the contract.
- (d) This clause, including this paragraph (d), shall be inserted in all subcontracts for radioactive materials meeting the criteria in paragraph (a) of this clause.

[End of Clause]

87 52.204-7 CENTRAL CONTRACTOR REGISTRATION JUL/2006

(a) Definitions. As used in this clause--

"Central Contractor Registration (CCR) database" means the primary Government repository for contractor information required for the conduct of business with the Government.

"Commercial and Government Entity (CAGE) code" means-

(1) A code assigned by the Defense Logistics Information Service (DLIS) to identify a commercial or Government entity; or

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

WIOD/A

(2) A code assigned by a member of the North Atlantic Treaty Organization that DLIS records and maintains in the CAGE master file. This type of code is known as an "NCAGE code."

"Data Universal Numbering System (DUNS) number" means the 9-digit number assigned by Dun and Bradstreet, Inc. (D&B) to identify unique business entities.

"Data Universal Numbering System +4 (DUNS+4) number" means the DUNS number assigned by D&B plus a 4-character suffix that may be assigned by a business concern. (D&B has no affiliation with this 4-character suffix.) This 4-character suffix may be assigned at the discretion of the business concern to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see Subpart 32.11 of the Federal Acquisition Regulation) for the same parent concern.

"Registered in the CCR database" means that-

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

- (1) The Contractor has entered all mandatory information, including the DUNS number or the DUNS+4 number, into the CCR database;
- (2) The Government has validated all mandatory data fields, to include validation of the Taxpayer Identification Number (TIN) with the Internal Revenue Service (IRS), and has marked the record ``Active''. The Contractor will be required to provide consent for TIN validation to the Government as a part of the CCR registration process.

(b)

- (1) By submission of an offer, the offeror acknowledges the requirement that a prospective awardee shall be registered in the CCR database prior to award, during performance, and through final payment of any contract, basic agreement, basic ordering agreement, or blanket purchasing agreement resulting from this solicitation.
- (2) The offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation DUNS or DUNS+4 followed by the DUNS or DUNS+4 number that identifies the offerors name and address exactly as stated in the offer. The DUNS number will be used by the Contracting Officer to verify that the offeror is registered in the CCR database.
 - (c) If the offeror does not have a DUNS number, it should contact Dun and Bradstreet directly to obtain one.
 - (1) An offeror may obtain a DUNS number
- (i) If located within the United States, by calling Dun and Bradstreet at 1-866-705-5711 or via the Internet at http://www.dnb.com/ ; or
 - (ii) If located outside the United States, by contacting the local Dun and Bradstreet office.
 - (2) The offeror should be prepared to provide the following information:
 - (i) Company legal business name.
 - (ii) Tradestyle, doing business, or other name by which your entity is commonly recognized.
 - (iii) Company physical street address, city, state and Zip Code.
 - (iv) Company mailing address, city, state and Zip Code (if separate from physical).
 - (v) Company telephone number.
 - (vi) Date the company was started.
 - (vii) Number of employees at your location.
 - $(\mbox{viii}) \mbox{ Chief executive officer/key manager.} \\$
 - (ix) Line of business (industry).
 - (x) Company Headquarters name and address (reporting relationship within your entity).
- (d) If the Offeror does not become registered in the CCR database in the time prescribed by the Contracting Officer, the Contracting Officer will proceed to award to the next otherwise successful registered Offeror.

Page 30 of 35

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 31 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

(e) Processing time, which normally takes 48 hours, should be taken into consideration when registering. Offerors who are not registered should consider applying for registration immediately upon receipt of this solicitation.

(f) The Contractor is responsible for the accuracy and completeness of the data within the CCR database, and for any liability resulting from the Governments reliance on inaccurate or incomplete data. To remain registered in the CCR database after the initial registration, the Contractor is required to review and update on an annual basis from the date of initial registration or subsequent updates its information in the CCR database to ensure it is current, accurate and complete. Updating information in the CCR does not alter the terms and conditions of this contract and is not a substitute for a properly executed contractual document.

- (i) If a Contractor has legally changed its business name, doing business as name, or division name (whichever is shown on the contract), or has transferred the assets used in performing the contract, but has not completed the necessary requirements regarding novation and change-of-name agreements in Subpart 42.12, the Contractor shall provide the responsible Contracting Officer a minimum of one business days written notification of its intention to:
 - (A) Change the name in the CCR database;
 - (B) Comply with the requirements of Subpart 42.12 of the FAR;
 - (C) Agree in writing to the timeline and procedures specified by the responsible Contracting Officer. The Contractor must provide with the notification sufficient documentation to support the legally changed name.
- (ii) If the Contractor fails to comply with the requirements of paragraph (g)(1)(i) of this clause, or fails to perform the agreement at paragraph (g)(1)(i)(C) of this clause, and, in the absence of a properly executed novation or change-of-name agreement, the CCR information that shows the Contractor to be other than the Contractor indicated in the contract will be considered to be incorrect information within the meaning of the Suspension of Payment paragraph of the electronic funds transfer (EFT) clause of this
- (2) The Contractor shall not change the name or address for EFT payments or manual payments, as appropriate, in the CCR record to reflect an assignee for the purpose of assignment of claims (see FAR Subpart 32.8, Assignment of Claims). Assignees shall be separately registered in the CCR database. Information provided to the Contractors CCR record that indicates payments, including those made by EFT, to an ultimate recipient other than that Contractor will be considered to be incorrect information within the meaning of the Suspension of payment paragraph of the EFT clause of this contract.
- (g) Offerors and Contractors may obtain information on registration and annual confirmation requirements via the Internet at http://www.ccr.gov/ or by calling 1-888-227-2423, or 269-961-5757.

[End of Clause]

88 52.223-11 OZONE-DEPLETING SUBSTANCES

MAY/2001

- (a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Evironnmental Protection Agency designates in 40 CFR part 82 as--
 - (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
 - (2) Class II, including but not limited to, hydrochlorofluorocarbons.

SUBCONTRACTS FOR COMMERCIAL ITEMS

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) _ _, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 32 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

- (a) Definitions. As used in this clause--
 - (1) "Commercial item" has the meaning contained in Federal Acquisition Regulation 2.101, Definitions.
- (2) "Subcontract," as used in this clause, includes a transfer of commercial items between divisions, subsidiaries, or affiliates of the Contractor or subcontractor at any tier.
- (b) To the maximum extent practicable, the Contractor shall incorporate, and require its subcontractors at all tiers to incorporate, commercial items or nondevelopmental items as components of items to be supplied under this contract.

(c)

- (1) The contractor shall insert the following clauses in subcontracts for commercial items:
- (i) 52.219-8, Utilization of Small Business Concerns (May 2004)(15U.S.C. 637(d)(2) and (3)), in all subcontracts that offer subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$550,000 (\$1,000,000 for contruction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.
 - (ii) 52.222-26, Equal Opportunity (MAR 2007)(E.O. 11246);
- (iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (SEP 2006) (38 U.S.C. 4212(a));
 - (iv) 52.222-36, Affirmative Action for Workers with Disabilities (JUN 1998)(29 U.S.C. 793);
- (v) 52.222-39, Notification of Employee Rights Concerning Payment of Union Dues or Fees (DEC 2004) (E.O. 13201). Flow down as required in accordance with paragraph (q) of FAR clause 52.222-39).
- (vi) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (FEB 2006) (46 U.S.C. Appx 1241 and 10 U.S.C. 2631) (flow down required in accordance with paragraph (d) of FAR clause 52.247-64).
- (2) While not required, the Contractor may flow down to subcontracts for commercial items a minimum number of additional clauses necessary to satisfy its contractual obligations.
- (d) The Contractor shall include the terms of this clause, including this paragraph (d), in subcontracts awarded under this contract.
 - 90 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES

APR/1984

- (a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.
- (b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

91 252.223-7001 HAZARD WARNING LABELS

DEC/1991

- (a) <u>Hazardous material</u>, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.
- (b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labelling requirements of one of the following statutes:
 - (1) Federal Insecticide, Fungicide and Rodenticide Act;
 - (2) Federal Food, Drug and Cosmetics Act;

Reference No. of Document Being Continued **CONTINUATION SHEET** MOD/AMD

PIIN/SIIN W56HZV-07-P-1006

Page 33 of 35

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

(3) Consumer Product Safety Act;

- (4) Federal Hazardous Substances Act; or
- (5) Federal Alcohol Administration Act.

(c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labelled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

MATER	IAL (If I	None, I	nsert 1	None.)		<u>ACT</u>	

- (d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.
- (e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract).

[End of Clause]

- 92 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002) MAY/2002
- (a) Definitions. As used in this clause--
- (1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.
 - (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
 - (3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.
 - (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
- (6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) <u>U.S.-flag vessel</u> means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)

- (1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
- (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1006

MOD/AMD

Page 34 **of** 35

- (i) This contract is a construction contract; or
- (ii) The supplies being transported are-
 - (A) Noncommercial items; or
 - (B) Commercial items that-
 - (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
 - (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
 - (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
 - (1) U.S.-flag vessels are not available for timely shipment;
 - (2) The freight charges are inordinately excessive or unreasonable; or
 - (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--
 - (1) Type, weight, and cube of cargo;
 - (2) Required shipping date;
 - (3) Special handling and discharge requirements;
 - (4) Loading and discharge points;
 - (5) Name of shipper and consignee;
 - (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.
- (e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information-
 - (1) Prime contract number;
 - (2) Name of vessel;
 - (3) Vessel flag of registry;
 - (4) Date of loading;
 - (5) Port of loading;
 - (6) Port of final discharge;

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 35 of 35
CONTINUATION SHEET	PIIN/SIIN W56HZV-07-P-1006	MOD/AMD	

Name of Offeror or Contractor: B A E SYSTEMS LAND & ARMAMENTS

- (7) Description of commodity;
- (8) Gross weight in pounds and cubic feet if available;
- (9) Total ocean freight in U.S. dollars; and
- (10) Name of the steamship company.
- (f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

93 52.204-4008 USE OF ELECTRONIC DATA INTERCHANGE (EDI) MAY/2000 (TACOM)

The Government reserves the right to commence issuing orders to the contract within 90 calendar days after contract award. Any modifications and any delivery orders will be delivered electronically to the contractor using Electronic Data Interchange (EDI) via the Federal Acquisition Network (FACNET). Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

[End of Clause]

- 94 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION MAR/2005 (TACOM)
- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the website: http://contracting.tacom.army.mil/ebidnotice.htm
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).
- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.